Work Order ID 88432

88432

Page 1

August-02-12 9:06:32 AM D212-664-101 Item ID: Setup Start *N900040100* **Revision ID:** Crosstube Fwd High Item Name: Start Qty: 1.00 **Start Date:** 8/13/12 Cust Item ID: **Req'd Qty:** 1.00 Required Date: 8/24/12 **Customer:** Reference: Run Start Process Plan: MLJ Approvals: Date: \2 \08 \09 Tooling: Date: Stop Date: SPC (Y/N): Date: Sequence ID/ **Operation** Set Up/ Tool ID Tool # Plan Reject Reject Accept Insp. Work Center ID Description Code Number Stamp Qty Qty **Run Hours** Draw Nbr **Revision Nbr** D212-664-141 Rev D (DEO) 100 0.00 DOCUMENT CONTROL *100* DC Memo Document Control Photocopy bluefile and create labels as per PPP D212-664-101 CHG005 Pick Kit 0.00 110 NO 12/8/21 Packaging *110* Packaging 0.00 Memo Packaging 120 0.00 12-8-21 BENDING MACHINE - CROSSTUBES *120* CNC Bend 2 0.00 Memo Bend tube as per Dwg D212-664-141 using CNC bender program 212-fw and CNC Alpha 160 Bender Folio D212-664-101

			DQA:	Date:
NCR:	Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE	·	

•								÷.			3.7	•		QA Closed:	Date:	:	The state of the s
Work Orde	or.	->					DISPOSITION	۶ تمیید د	AGAINST DEPARTMENT/PROCESS					Ž			
Part N	10.						Rework Scrap Use-as-is Work Order Update	e g g	Small Fab Prod. Eng. Coor. Qual				Engineering Quality Other				
Root		•	<u> </u>	I	Desc	rin	tion of work order update	· T	Initial	*	Actio	ว์ท ้	·.	Sign &		T	
Cause		. Date	Step	Qty		•	r Non-conformance		hief Eng	-	Descri	•		Date	Verification		QC Inspector
Doc/Data	一				•			1			<u> </u>	34.				1	
Equip/Tooling	\neg						•										. **
Operator							يۇغ ئىل دوس	٠, ۲		1	era Parameter						eliğeli Y
Material		•							4.						***		
Setup		,			,		. "		•_	7							· .
Other										•	· ·		,			•	
Process							e e e e e e e e e e e e e e e e e e e	<u>`</u> ,		`	•-	T					
Supplier																	•
Training			:					1,									+. • •
Unapproved			1 .								4			'		1	-نسم
,,,			1	- A)-	**:		· · · · · · · · · · · · · · · · · · ·	FAU	LT CATE	GORY	• • •			I			•
Landi	ng (Gear	* * * * * * * * * * * * * * * * * * *				General			•					5		200
		Bending		*	[Bend .	1	Grain		•	·	F	Ovalized		P	ressure/Forced
		Centre No	ot Conce	ntric to	0/s_ r		BOM/Route		Hardwa	ire .				Over/Under	tolerance	7	emperature/Cure~.
		Cracks		- N	. O	_	Broken/Damaged	` -	·	ion Incom	plete		\vdash	Part Incorred	⊢	_	Veld
		Crushed/	Crimped.				Burrs			tions Incor		nclear		Pärt Lost/Mi	ssing	. _\	َةِ Vrong Stock Pulled
. "	_	Cuffs			<u> </u>	_	Contamination •		┥ .	enance		• • • • •	\vdash	Part Moved	<u> </u>		
		Heat Trea	at :		-:		Countersink		Mislabe	_ '	•		T.	Positioned V	Vrong		*
	_	Inspection	ر وغو	Tube		_	Cut Too Short	+	Misrea	•			·	Power Loss/	· ·		ther
	_	Ripples in					Drill Holes	上	Offset	_	.		·L	• · · · · · · ·	,		
'		Torque W			n -		Drawing		⊣ .	Calibration	ı . ´				77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
* *		Turning S			15	_	Finish		⊶.	Sequence		•	~ _				<u> </u>
	Wave/Twist in Tube						Folio		Outside	e Dimensio	ons	•	•	4			ı

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-02-12 9	:06:32 AM	··· ·		- 1 sty.	Mil								
Item ID: Revision ID:	D212-664-1	01		- F	A	Accept	*N900	<u> </u>	100)* s	etup Star	* *N	S1*
Item Name:	Crosstube Fw	d High								-	Sto	*N	S2*
Start Date:	8/13/12	Start Qt	y: 1.00	*	1*		Cust Item	ID:					
Required Date:	8/24/12	Req'd Q	ty: 1.00	*	1*		Customer	:					
Reference:			. 🥙		•								
Approvals:	Process Pla	an:		Date:	; . :	Tooling:	Ι	Date:		·R	un Stai	I <i>N</i>	R1*
. :	QC:			Date:		SPC (Y/N):	I	Date:			Sto	*N	R2*
Sequence ID/ Work Center I	D	Operation Description				Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
*130		QC15- Cro	sstube Dimen	sional Check		0.00	1 1 .						
QC Quality Control		*	Memo	,	ŗ,	0.00 16	(08121		.,			··	•
•		***							्रहीं 			-	* .
140						0.00					1		
140		Crosstubes			1		,						
Crosstubes			Memo			0.00						·	
Crosstubes						212-664-141 using drill towers in hole #7 as pe		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	· \ \ \	 1	,	- 10-1	· · ·
			DT8548 & 1		limensions b	Dwg D212-664-141usi between holes, both side		/ '	V\\\	RM	r	2181	22:
		. ·•	3-Scribe par	t # and batch # i	using vibrati	ng stylus as per Dwg D	212-664-141						
		· · · · · · · · · · · · · · · · · · ·				NHANDLING CROSS amage within limits as p		TW	i fi	i de la companya de l		2-8-5	43

NCR:	Yes	1	No

											DQA:_	Date:		
NCR:	Yes	/ No				WORK ORDER NON-C	ON	IFORN	ΓE		· · · · · · · · · · · · · · · · · · ·	1		
											QA Closed:	Date:	A 13.	
Vork Ord	or.					DISPOSITION	AGAINST DEPARTMENT/PROCESS							
OIR OIG	-					Rework	1		Skid-tube C	rosstube		Water Jet	Engineering	
Part !	No.					Scrap				Small Fab	Proc	I. Eng. Coor.	Quality	
	-					Use-as-is		Therm	noforming	Finishing	Rec/Stor	e/Packaging	Other	
NCR I	۷o.					Work Order Update			Large Fab Co	omposite 🔃		Supplier		
				,			\perp							
Root					L	ption of work order update	1	nitial	Action		Sign &		001	
Cause		Date	Step	Qty		or Non-conformance	Chi	ief Eng	Descripti	on	Date	Verification	QC Inspector	
oc/Data	Н										,			
uip/Tooling perator	Н												·	
aterial	Н												·	
tup	\vdash							. 8			ļ			
her	Н							1						
ocess	\Box				1				•					
pplier									•	* **	.			
aining			ļ						-			*		
approved						: 		*ئەدە	•					
				·····		F	AUL'	T CATE	GORY 🦠 🦮 🎏					
Landi	_					General					1			
	-	Bending				Bend	\mathbf{H}	Grain ,		1	Ovalized		Pressure/Forced	
	\vdash	Centre No	ot Concer	ntric to	o/s	BOM/Route	-	Hardwa		<u> </u>	Over/Under		Temperature/Cure	
	-	Cracks				Broken/Damaged	\vdash		on Incomplete	-	Part Incorrec		Weld ^{&}	
	Crushed/Crimped.					Burrs	$\boldsymbol{\vdash}$		ions Incomplete/Uncl	ear	Part Lost/Mi	ssing	Wrong Stock Pulled	
	Cuffs					Countarial	-	Mainte Mislabe		· .	Part Moved Positioned V	rong.		
	H-1 H-1					Countersink Cut Too Short	-	Misread		.	Power Loss/:	· ·	Other	
	Ripples in Bend Drill Holes						Offset					TO CITC		
	Torque Waves in Extrusion Drawing						-		Calibration	:				
	Turning Sequence Finish					<u> </u>	\vdash		Sequence					

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

Page 3

August-02-12 9:06:32 AM Item ID: D212-664-101 Accept *N900040100* Setup Start **Revision ID:** Stop **Item Name:** Crosstube Fwd High **Start Date:** 8/13/12 Start Oty: 1.00 **Cust Item ID:** Required Date: 8/24/12 Req'd Qty: 1.00 **Customer:** Reference: Start Run Process Plan: Date: **Tooling:** Approvals: Date: Stop Date: SPC (Y/N): QC: Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Reject Accept Insp. Work Center ID Description Code **Qty** Number Stamp **Run Hours** Qty 150 QC5- Inspect part completeness to step on W/O *150* Memo Quality Control *** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE*** 160 0.00 *160* 0.00 HandFXtube Memo Hand Finishing Crosstubes *** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE*** 1- CLEAN CROSSTUBE WITH WASH'N WIPE 170 Outsource process - NDT per QSI038 4.1 0.00 CL 12/08/27 C *170* 0.00 Outsource2 Memo Outsource process - NDT *** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE*** Liquid Penetrant Inspection as per QSI 038 Issue P/O: 17755 LPI as per ASTM 1417 Level 2

Attach copy of NDT results to work order

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	COI	NFORM	MANCE / UPDATE				· .
											QA Closed:	Date:	
Work Ord	er:					DISPOSITION			AGAIN	ST DE	PARTMENT	/PROCESS	
Part I	۷o.					Rework Skid-tube Crosstube Scrap Machining Small Fab Use-as-is Thermoforming Finishing Work Order Update Large Fab Composite			ab ng	Pro Rec/Stor	Engineering Quality Other		
Root					Descri	ption of work order update	1	Initial	Action		Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Description		Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling													
Operator													
Material													
Setup]						• .					
Other	Г							•					
Process		ĺ											
Supplier													
Training		ļ	,	** .									
Unapproved	_												
						F	AUL	T CATE	GORY				
Landi	ng (Gear				General							
		Bending				Bend		Grain		Г	Ovalized		Pressure/Forced
Centre Not Concentric to O/S					o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
Cracks						Broken/Damaged		Inspecti	on Incomplete		Part Incorred	 	Weld
Crushed/Crimped_					Burrs	Г	Instructi	ions Incomplete/Unclear		Part Lost/Mi	ssing	Wrong Stock Pulled	
Cuffs						Contamination		Mainte	•		Part Moved		, ,
		Heat Trea	t			Countersink	Г	Mislabe	led		Positioned Wrong		
		Inspection	Strip in	Tube		Cut Too Short	Misread				Power Loss/	Other	

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

193

Crosstubes Chemical Conversion

0.00

193

HandFXtube

Memo

0.00

Hand Finishing Crosstubes

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***

1- PRESSURE WASH AND THEN USE WASH'N WIPE TO CLEAN CROSSTUBE BEFORE CHEMICAL CONVERSION

IW 12-8-24

NCR:	Yes	1	No
IVCIV.	163	/	110

					•							DQA:	Date	e:	<u> </u>	
NCR:	Yes	/ No					WORK ORDER NON-CONFORMANCE / UPDATE									
												QA Closed:	Date	2:		
Work Ord	er:						DISPOSITION			A	GAINST DE	PARTMENT	MENT/PROCESS			
Part I	No.						Rework Scrap Use-as-is Work Order Update		Skid-tube Crosstube Machining Small Fab Thermoforming Finishing Large Fab Composite		mall Fab inishing	1	Water Jet d. Eng. Coor. re/Packaging Supplier		Engineering Quality Other	
Root					Des	crip	otion of work order update	1	nitial	Action	-	Sign &				
Cause		Date	Step	Qty		О	r Non-conformance	Ch	ief Eng	Descriptio	n	Date	Verification	\bot	QC Inspector	
oc/Data quip/Tooling perator laterial etup ther rocess upplier raining napproved									·							
111						···.		AUL	T CATE	SORY						
Landi	Landing Gear Bending Centre Not Concentric to O/S Cracks Crushed/Crimped Cuffs Heat Treat Inspection Strip in Tube Ripples in Bend Torque Waves in Extrusion Turning Sequence						General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing Finish		Instruct Mainte Mislabe Misread Offset Out of (on incomplete ions incomplete/Unclea nance led		Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct issing Vrong	V V	Pressure/Forced Femperature/Cure Weld Wrong Stock Pulled Other	

Outside Dimensions

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Page 5 August-02-12 9:06:32 AM Item ID: D212-664-101 Accept *N900040100* Setup Start **Revision ID:** Stop Crosstube Fwd High **Item Name: Start Date:** 8/13/12 Start Oty: 1.00 **Cust Item ID:** Required Date: 8/24/12 Req'd Qty: 1.00 **Customer:** Reference: Run Start Tooling: Process Plan: Approvals: Date: Date: Stop Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Reject Accept Insp. Work Center ID Description Qty **Run Hours** Code Otv Number Stamp 195 QC7-Inspect Chemical Conversion Coat 0.00 *105* OC 0.00 Memo Quality Control *** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE*** 200 Spray Painting per QSI005 4.2 0.00 SprayPaint

200 SprayPaint

Spray Painting

Memo

0.00

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***

1-Prime inside and outside crosstube as per QSI 005 4.2

2-Paint outside crosstube as per DEO D212-667-141 with White Imron as per QSI 005 4.2

PRIME: 121746 Start Time: 7:00 Fininsh Time: 8:00

PAINT: 122381 Start Time: 4:00 Finish Time: 5:00

											DQA:	Date:			
NCR:	·														
						_	· · · · · · · · · · · · · · · · · · ·	_	1	·	QA Closed:	Date:			
Work Ord	er:						DISPOSITION		AGAINST DEPARTMENT/PROCESS						
Part							Rework Scrap Use-as-is			Skid-tube Crosstube Small Fab	⊣	Water Jet d. Eng. Coor.	Engineering Quality Other		
NCR	No.						Work Order Update		mem	Large Fab Composite	, Recystor	Supplier	Other		
Root					Desc	rip	tion of work order update		nitial	Action	Sign &				
Cause		Date	Step	Qty		or Non-conformance			ief Eng	Description	Date	Verification	QC Inspector		
oc/Data							,								
quip/Tooling	L			<u> </u>											
perator															
Naterial	L.														
etup															
ther	_														
rocess	<u> </u>							l							
upplier		'			<u> </u>										
raining	<u> </u>	,	1				,								
inapproved		l									<u> </u>				
								AUL	T CATE	GORY			· · · · · · · · · · · · · · · · · · ·		
Landi	ng (1			_	_,	General	_	1	_	¬	_	7		
	<u> </u>	Bending			L		Bend	<u> </u>	Grain		Ovalized		Pressure/Forced		
	<u> </u>	Centre No	ot Concer	ntric to	o/s		BOM/Route	—	Hardwa	· -	Over/Under		Temperature/Cure		
	<u> </u>	Cracks			<u> </u>	_	Broken/Damaged	\vdash	1 '	on Incomplete	Part Incorre	}	Weld .		
	⊢	Crushed/Crimped_					Burrs	<u> </u>	4	ions Incomplete/Unclear	Part Lost/Mi	issing	Wrong Stock Pulled		
	Cuffs						Contamination		Mainte	<u> </u>	Part Moved				
	Heat Treat						Countersink	<u></u>	Mislabe		Positioned V		٦ ا		
							Cut Too Short	<u></u>	Misread		Power Loss/	Surge	Other		
	Ripples in Bend Drill Holes								Offset						
	<u> </u>	Torque W			n		Drawing	_	4	Calibration					
	1	Turning So	equence				Finish	1	Out of 9	Sequence			:		

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

A/R Proseal 890

2-Install supports with Proseal 890 per DSI9563 and QSI 015

Batch: 122441

3- Torque bolts as per dwg

QC6-Inspect dimensions to drawing

230

Memo

0.00

0.00

Quality Control

	/	\supset	
NCR:	(Yes) No

WORK ORDER NON-CONFORMANCE / UPDATE

1 1	•	
DQA Date:	12/09/14=	•
-	1 // -	
	`	
A Closed: () Date:	,	

									QA Closed:	Date:	· · · · · · · · ·		
Work Orde	er: <u>8</u>	84=	32		DISPOSITION		AGAINST DEPARTMENT/PROCESS						
Part N	No. <u>D213</u>	2-66 179°	4-	101	Rework Scrap Use-as-is Work Order Update	Skid-tube Crosstube Water Jet Engineerin Machining Small Fab Prod. Eng. Coor. Qualit Thermoforming Finishing Rec/Store/Packaging Other Large Fab Composite Supplier							
Root				Descri	ption of work order update	Initial	Action		Sign &				
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Description		Date	Verification	QC Inspector		
Doc/Data Equip/Tooling Operator Material Setup Other	X Mooht	女 210	H	enspection Prim / Cousin	Ape was Pun un wenden was still tackey hies / Marks in	(2) 16 00 7642 12/00/24	Fraish is waccata Boff Stein entri tube the Per 0520054	h he	M 12 08 29	1208:29	0AS 16 5-3 052042 12/06/12		
Process Supplier Training Unapproved		Couser the of			19 h					,	·		
	<u> </u>	1			F	AULT CATE	GORY	-					
Landii	ng Gear				General								
	Bending Centre N Cracks	ot Concer	ntric to	o/s	Bend BOM/Route Broken/Damaged	Grain Hardwa Inspect	aré ion Incomplete		Ovalized Over/Under tolerance		Pressure/Forced Temperature/Cure Weld		
	Crushed	Crimped.			Burrs	Instruc	tions Incomplete/Unclear		Part Lost/Mi	ssing	Wrong Stock Pulled		
	Cuffs				Contamination	Mainte	enance		Part Moved				
	Heat Tre	at			Countersink	Mislabe	eled		Positioned V	Vrong			
	Inspection	n Strip in	Tube		Cut Too Short	Misrea	d .		Power Loss/	Surge	Other		
Ripples in Bend					Drill Holes	Offset			*				
Torque Waves in Extrusion					Drawing	Out of	Calibration						
Turning Sequence					Finish	Out of Sequence							
Wave/Twist in Tube					Folio	Outside Dimensions				·			

Work Order ID 88432 August-02-12 9:06:32 AM D212-664-101 *N900040100* Item ID: Accept Setup Start Revision ID: Stop Item Name: Crosstube Fwd High **Start Date:** 8/13/12 Start Qty: 1.00 **Cust Item ID:** Required Date: 8/24/12 Req'd Qty: 1.00 **Customer:** Reference: Run Process Plan: Date: **Tooling:** Date: Approvals: Stop Date: QC: SPC (Y/N): Date: Sequence ID/ Set Up/ Reject Operation Tool ID Tool # Plan Accept Work Center ID Description Code Qty Qty **Run Hours**

240 Packaging Packaging

240

Memo

QC4-100% Inspect kits for completeness

0.00

0.00

250

250

Quality Control

Memo

260

260

Packaging

Packaging

Pick Kit

Memo

0.00

0.00

Packaging

Identify and pack for shipping as per PPP D212-664-101

Page 7

Reject Number

Insp. Stamp

											L	νQΑ.	Da	ιe. ₋	
NCR:	⁄es	/ No				WORK ORDER NON-C	O	NFORM	AANCE / UPD	ATE	QA Clo	sed:	 Da	te:	
Work Orde	er:					DISPOSITION				AGAINST DE		•			***************************************
Part N	•					Rework Scrap Use-as-is Work Order Update		t Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	Rec		Water Jet d. Eng. Coor. re/Packaging Supplier		Engineering Quality Other
Root					Descri	ption of work order update	1	nitial	Acti	on	Sign	&			
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Descri	ption	Dat	:e	Verificatio	n	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved												•			
					·	F	AUL	T CATE	GORY						
Landi		1				General		,		_	_			_	1
		Bending Centre No Cracks Crushed/G Cuffs Heat Trea	Crimped.	ntric to	o/s	Bend BOM/Route Broken/Damaged Burrs Contamination Countersink		4 `	on Incomplete ions Incomplete/U nance	nclear	Ovalize Over/L Part In Part Lo Part M Positio	Inder correctst/Mi oved	issing		Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled
		Inspection		Tube	F	Cut Too Short	\vdash	Misread		-	Power		_		Other
	\vdash	Ripples in	•			Drill Holes		Offset	-	L.	٠		0-	<u> </u>	LE 30151.

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Ord		8432		*884	132*							Page	8
Item ID: Revision ID: Item Name:	D212-664-			Accept	*N900	040	100)*	Setup S	tart top		S1*	
Start Date: Required Date Reference:	8/13/12 e: 8/24/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item I Customer:	D:							
Approvals:	Process P QC:	lan:	Date:	Tooling: SPC (Y/N):		ate:				tart top	*N *N	R1* R2*	
Sequence ID/ Work Center 270	ID	Operation Description QC21- Final Inspection	- Work Order Release	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accep Qty	t Reject Qty	_	Reject lumber	Insp. Stamp	

0.00

Memo

Quality Control

ME 12-09-07

							- .		'	***	DQA:	. Date	e:
NCR: Y	'es	/ No					WORK ORDER NON-C	ON	NFORM	MANCE / UPDATE			
							i				QA Closed:	Date	e:
Work Orde	er:						DISPOSITION	7.0	}	AGAINST DE	PARTMENT	/PROCESS	,
Part N	•						Rework Scrap Use-as-is		ſ	Skid-tube Crosstube Machining Small Fab Finishing	4	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR N	lo.				*.	1	Work Order Update			Large Fab Composite	_	Supplier	
Root					Descr	ip	tion of work order update	Ī	nitial	Action	Sign &		
Cause		Date	Step	Qty		0	r Non-conformance	Ch	ief Eng	Description	Date	Verification	QC Inspector
oc/Data quip/Tooling												·	
perator					,	·			ļ				
1aterial							•			,			·
etup								•	A,	,	·	1	
ther									. !				
rocess		`	٠,	,			**						•
upplier							•					1	
raining							Ĵ	İ					
Inapproved		·						ļ			A CONTRACTOR		
			٠,		,	_	, FA	AUL	T CATE	GORY	<u> </u>		4
Landi	ng (Gear				_	General			`	· •	_	i
		Bending	•	,	L		Bend		Grain		Ovalized		Pressure/Forced
		Centre No	ot Concer	ntric to (o/s		BOM/Route		Hardwa	are	Over/Unde	tolerance	Temperature/Cure
		Cracks					Broken/Damaged \(\)		inspect	ion Incomplete	Part Incorre	ct '	Weld
		Crushed/0	Crimped.		L	╛	Burrs		Instruct	tions Incomplete/Unclear	Part Lost/M	lissing	Wrong Stock Pulled
		Cuffs			L	╝	Contamination		Mainte	enance	Rart Moved		•
i		Heat Trea	t				Countersink		Mislabe	eled	Positioned	Wrong _	
		Inspection	n Strip in	Tube	, [Cut Too Short		Misread	d	Power Loss	/Surge	Other
		Ripples in	Bend				Drill Holes		Offset				
		Torque W	aves in E	xtrusio	, [Drawing		Out of (Calibration			
		Turning S	equence				Finish		Out of !	Sequence .			
		Wave/Tw	ist in Tub	oe .	Γ		Folio		Outside	e Dimensions		-	

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

August-02-12 9:06:30 AM

Work Order ID:

88432

Parent Item:

D212-664-101

Parent Item Name:

Crosstube Fwd High

Start Date: 8/13/12

Required Date: 8/24/12

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:E04.02.16ReformatKJ/DS

IPP Rev:F 06-03-29

Remove Coments on Pick List JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Last Location Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Date Sta Issued Issued	itus
D212-664-101TRN Crosstube Turning Detail	, ,	Manufactured	No	·	110	Each	1.0000	1	1		
		•		Location FG B87559	Loc Oty	<u>Lo</u>	c Code			MO 12/	/a/
				54731 54732 87886	0					· 1	
				FG046 68584	-2 0	•				* •	
D3595-063-450	**	```	No	LG	230	Each	201.0895		4.2105262	40	
RUBBER CUSHION		Manufactured	140	88916	Loc Oty		**	9	4.2105263	Al 12-8-3	0
e .	•		•	Location LG	0.28	. 10	c Code		<u> </u>		-
	*			82511 LG051 80161	0.28 190.7 1.7						
•.	-			84715 87478	19 130						r.
				87958 MAT052	40 10.109474				*		
		*		67353 68893	2 6			-			
				70113	0.56			•	<u> </u>		



NCR:	Vac	1	No
IVCIV.	163	,	INU

DQA: _____ Date: ____

NCR: Y	es	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UPDATE	QA Closed:	Date:	
								· ·				
Work Orde	r:					DISPOSITION			AGAINST D	EPARTMENT/	PROCESS	
Part N	•					Rework Scrap			Skid-tube Crosstube Machining Small Fab	Prod	Water Jet d. Eng. Coor.	Engineering Quality
NCR N	-					Use-as-is Work Order Update			noforming Finishing Large Fab Composite	Rec/Stor	e/Packaging Supplier	Other
Root					Descr	ription of work order update		nitial	Action	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Description	Date	Verification	QC Inspector
oc/Data												
quip/Tooling	_											
perator												
//aterial	_							•				
etup												
Other						•						
rocess										ļ		·
upplier									_			
raining	_	· ·										
Inapproved			!								<u></u>	
							FAUL	T CATE	GORY			
Landir r	_	1				General .		1		¬		۱_ ، ا
1	_	Bending			, -	Bend	<u> </u>	Grain		Ovalized	_	Pressure/Forced
1	_	Centre No	ot Concer	ntric to (^{O/S}	BOM/Route	-	Hardwa		Over/Under		Temperature/Cure
ļ	-	Cracks				Broken/Damaged	-	4 '	on Incomplete	Part Incorre	 	Weld
	$\overline{}$	Crushed/0	Crimped.		<u> </u>	Burrs	-	4	ions Incomplete/Unclear	Part Lost/Mi	issing	Wrong Stock Pulled
-	_	Cuffs				Contamination	\vdash	Mainte	· •	Part Moved		
ļ	-	Heat Trea			L	Countersink	_	Mislabe	· -	Positioned V		7
,	-	Inspection	•	Tube	Ĺ	Cut Too Short	\vdash	Misread	i L	Power Loss/	Surge	Other
ļ	-	Ripples in			 	Drill Holes	\vdash	Offset				
1	_	Torque W			ո _	Drawing	_	4	Calibration			
].		Turning So	•		L	Finish	_	1	Sequence		,	
l		Wave/Tw	ist in Tub	e		Folio	1	Outside	Dimensions			

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-02-12 9:06:31 AM

Work Order ID:	88432											
Parent Item:	D212-664-101							Start	Date: 8/13/12	3	Require	d Date: 8/24/12
Parent Item Name:	Crosstube Fwd High							Start	Qty: 1.00		Require	ed Qty: 1.00
MS21920-25 Clamp(per MIL-DTL-87	Purchased (83C)	No			220		Each	88.0000	4	4	AR	12-8-30
			Location	1	<u>Lo</u>	e Oty		Loc Code				
			LG050			88						
				116264		2						
				117998		4						
				118142		4			***************************************			
				119339 119746		2 2						
				120475		7					,	
				120920		46			(4)			1.33
				122204		21						¥
D2893-1	Manufactured	No			220		Each	12.0000	2	2	10	
2.75 Support									<u> </u>		AR	12-8-30
	A)		Location	1	Lo	e Oty		Loc Code				
	O (1) 23 4.		LG		*	10						
	B 86733 XI			87922		10						
	Bx 88700 ×1		LG052			2						<i>t</i> .
	(3)			72865,		2					•	
D3428-1	Manufactured	No			240		Each	19.0000	1	1		
Placard												$ \varphi$ \sim
			<u>Location</u>	<u>1</u>	Lo	c Oty		Loc Code				* * * * * * * * * * * * * * * * * * * *
	•		ST042			19						ra e
				83582		7						
_				85228		12			l	SL	-	,
AN6-35A	Purchased	No		₹"	240		Each	102.0000	4	4		\sim ℓ
BOLT									***********	Ondew Cour, Will Live		97
			Location	1	Lo	c Qty		Loc Code				**
			342			2						•
	· · · ·			121181		2				Summer services		
			ST340			100						•
			e	122416		100			_4	>h	•	

NCR: Y	es	/ No					WORK ORDER NON-C	O	NFORM	MANCE / UPDATE			
					,					·	QA Closed:	Date:	
Work Orde	r: _						DISPOSITION			AGAINST DE	PARTMENT		, _
Part N NCR N	_						Rework Scrap Use-as-is Work Order Update		1	Skid-tube Crosstube Machining Small Fab noforming Finishing Large Fab Composite	-4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
_										r	T		
Root	ŀ				Des		otion of work order update	1	nitial	Action	Sign &		
Cause	_	Date	Step	Qty		0	r Non-conformance	Ch	ief Eng	Description	Date	Verification	QC Inspector
oc/Data quip/Tooling perator Iaterial													
etup ther rocess													
upplier raining													
							F	AUL	T CATE	GORY			
Landir	ng G	ear					General						
ſ		Bending			[Bend		Grain	·	Ovalized		Pressure/Forced
ſ		Centre No	t Concer	ntric to	o/s		BOM/Route		Hardwa	re	Over/Under	tolerance	Temperature/Cure
	\neg	Cracks			ľ		Broken/Damaged		Inspect	ion Incomplete	Part Incorre	ct	Weld
Ī	7	Crushed/C	Crimped.		ļ		Burrs		Instruct	tions Incomplete/Unclear	Part Lost/M	issing	Wrong Stock Pulled
ľ		Cuffs					Contamination	Г	Mainte	enance	Part Moved	_	-
	7	Heat Treat	t		l		Countersink		Mislabe	eled	Positioned \	Vrong	
	_	Inspection		Tube			Cut Too Short		Misread	d T	Power Loss/		Other
ļ	_	Ripples in					Drill Holes		Offset	· · · · · · · · · · · · · · · · · · ·	·		
ļ		Torque W		xtrusio	n	_	Drawing			Calibration			
	_	Turning Se				_	Finish		ł	Sequence			
ļ		Wave/Twi	-				Folio		1	e Dimensions			

DQA:

Date:

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-02-12 9:06:31 AM

Work Order ID: Parent Item: Parent Item Name:	88432 D212-664-101 Crosstube Fwd High								Date: 8/13/12 t Qty: 1.00		quired Date: 8/24	
AN6-36A Rolt		Purchased	No			240	Each	107.0000	4	4		0
\mathcal{I}				Location		Loc Qty		Loc Code				
				ST340		97						
					122416	97			4	\equiv SL		
				ST342		10						
	5 4				118422	2						
		•			119449	1						
					120187	4			****			0
VIS21042L6			2.7		120423	3	.	005 0000				
		Purchased	No			240	Each	925.0000	6	6	6 2	
Nut									Guerra , A	·		
)				Location		Loc Oty		Loc Code			7	
				314		600						
					122441	600			6	\equiv SL		
				ST300		325						
					117677	25						
	•				118384 118927	3						
					119075	48 49			-			
					120308	200						. :
AN960JD616 Washer	NAS1149D0663J	Purchased	No			240	Each	0.0000	18	18	1122452	SL
					· ·							,
											12/	الما

												DQA:	Dat	e:	
NCR:	Yes	/ No				WORK ORDER NON-O	O	NFORN	AANCE / UPD	ATE				-	
												QA Closed:	Dat	e:	
Work Ord	or.					DISPOSITION				AGAINST (DEI	PARTMENT	PROCESS		
Work Ordi	٠٠.					Rework	1 		Skid-tube	Crosstube			Water Jet		Engineering
Part I	No.					Scrap	1		Machining	Small Fab		Pro	d. Eng. Coor.	\dashv	Quality
						Use-as-is	1 1	Therm	noforming	Finishing		Rec/Stor	e/Packaging		Other
NCR I	No.					Work Order Update]		Large Fab	Composite [Supplier		
_			 								· 1	c: 0		-	
Root			<u>.</u>			ption of work order update	1	nitial	Actio			Sign &	Varification		OCInchester
Cause		Date	Step	Qty		or Non-conformance	Cn	ief Eng	Descri	ption		Date	Verification	<u>'</u>	QC Inspector
Doc/Data	Н										Ì				·
Equip/Tooling	Ш								·						·
Operator	$\vdash \vdash$														
Material	\vdash														
Setup	\vdash														
Other	Н														
Process	H						Ì								
Supplier	\vdash					•									
Training	\vdash										1				
Unapproved			<u> </u>				<u> </u>	T CATE	CORY			<u>L.</u>			
Landi	na G	Soor				General	AUL	I CATE	GORT	· · · · · · · · · · · · · · · · · · ·					
Landi	ling (Bending			[Bend		Grain		ſ		Ovalized	ſ		Pressure/Forced
	\vdash	Centre No	nt Concer	ntric to (~/s	BOM/Route		Hardwa	ro	ŀ		Over/Under	tolerance		Temperature/Cure
	\vdash	Cracks	or concer	itile to t	" -	Broken/Damaged	\vdash	4	ion Incomplete			Part Incorre		H	Weld
]	\vdash	Crushed/	Crimned		-	Burrs	-	1 '	ions Incomplete/U	nclear		Part Lost/Mi		\vdash	Wrong Stock Pulled
	\vdash	Cuffs	crimpeu.		⊢	Contamination	\vdash	Mainte	•	noicui		Part Moved	σ	ш	1ong stock ranea
	\vdash	ł			-		\vdash					4			
1	1	Heat Trea	17			Countersink		Mislabe	eled	1		Positioned V	vrong		

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes


Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

DART AEROSPACE LTD	Work Order:	88432
Description: Crosstube High Fwd (205/212/412)	Part Number:	D212-664-101
Inspection Dwg: D212-664-141 Rev: D		Page 1 of 1

Required Dimension	Min	Max
Height	26.79	27.05
1/2 Span	53.59	53.85
Angle	49	52
Total Span	107.18	107.7
Bending Passes	3	
Crushing		6%



	Side A	middle	Side B
Bending Passes	5	\$,	5
Crushing	4.47		4.2 %
	Commer	nts	
Sine A 2 4,4%	& crushin (2)) Spaye	7.
MiDDL 2 8 1	PASSED!		
Sine B = 4.2	La crushi a	5 / 9356	· ·
,			

QC	15 Inspection	DV.		
	Date	16	17/08/2	-1

Rev	Date	Change	Revised by	Approved
Α	07.02.06	New Issue	KJ/JM	
В	08.04.21	Dwg Rev updated	KJ/JM	
С	10.04.01	Dwg Rev updated	KJ . O.	
D	12.04.16	Added bending, crushing dimensions	KJ 👯	W
				

Item	Qty -141	Qty -141B	• 1	Description			
1	x		D212-664-141	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)			
2		Х	D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)			
3	1	1	D6005-128	CROSSTUBE			
4	2	2	D2893-1	SUPPORT			
5	4	4	D3595-063-450	RUBBER CUSHION			
6	4	4	MS21920-25	CLAMP (OR MS21920-26)			
7	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)			

GENERAL NOTES:

D

С

В

- 1) MATERIAL: MANUFACTURED FROM D6005-128 FINISHED LENGTH = 126.514±0.020
- CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2 PAINT OUTSIDE PER DART QSI 005 4.2
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: SCRIBE DART PART NUMBER "D212-664-XXX" AND BATCH NUMBER ON INSIDE OF CUFF USING VIBRATING STYLUS
- WEIGHT: D212-664-141 = 33.6 lbs (PER IIN-D212-664) D212-664-141B = 33.6 lbs (PER IIN-D212-664)
- PART IS SYMMETRIC ABOUT CENTERLINE.
- RUN CUTTER OFF PART. BLEND OUT EDGE LONGITUDINALY, TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 13) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1 SUPPORTION TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE SUPPORT.
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.


SHOP COPY REFERNITO ENGINEERING THE OMITROLLED COPY WIRELET TO AMENDMENT WITHOUT NOTICE WORK ORDER . 88432 465


12/08/09


REHOVED FROM WIDER REVIEW PER UNDER BEVIEW SCN #11-614

В

D	REFOR REORG TO CUF REMOV & B6-3); MOVED SHEET	RF	09.09.30				
С			SION STRIP; ADD MAGNOBOND VERSE CLAMPS	PH	07.03.08		
8.	ADD H SKIDTI		OMPATABILITY WITH BHT/AA	PH	05.02.04		
Α	NEW IS	SSUE		PH	00.12.12		
REV.			DESCRIPTION	BY	DATE		
DESIGN		PH	DART AEROSP	ACE	LTD		
DRAWN		RF	HAWKESBURY, ONTARI				
CHECK	ED	P	DRAWING NO.		REV. D		
MFG, AF	PR.	100	D212-664-141 SHEET 1				
APPRO\	/ED	10	TITLE		SCALE		
DE APP	₹.	_#-	XTUBE ASS'Y (205/212/412	HI FWI	D) NTS		
DATE	09.0	9.30	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE COVERS CONCIDENT THAT IT IS NOT TO BE USED FOR ANY PURPOSE ON COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WHITH ADDRESS TO THE PURPOSE TO THE PURPOSE OF THE PURPOSE				







DRAWING NO.	TITLE	-	REV. D	DART AEROSPACE LTD	D.E.O. NO.	SHEET NO.	SCALE
D212-664-1	41 XTUBE ASS	SY (205/212/41	2 HI FWD)	ENGINEERING ORDER	D212-664-141-D-1	SHEET 1 OF 2	NTS
DRAWN		CHECKED	P	MFG. APPR. [2	APPROVED .WP ,	DE APPR.	
DATE 1	1.04.07	DATE	11,047,11	DATE ((.0\.(Z	DATE 11/04/12	DATE 11.04.12	

PURPOSE:

ADD AN INSPECTION WINDOW TO UNDERSIDE OF CROSSTUBE.

CHANGE:

NOTES 2 OF SHEET 1 IS AMENDED AS FOLLOWS:

IS:

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

MASK UNDERSIDE OF CROSSTUBE AS SHOWN (HATCHED AREA) AND

PAINT OUTSIDE PER DART QSI 005 4.2 REMOVE MASKING AND APPLY CLEAR COAT

WAS:


2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

PAINT OUTSIDE PER DART QSI 005 4.2

DELEASED 2011 -04- 180

UNDER REVIEW



DRAWING NO.	TITLE REV. D	DART AEROSPACE LTD	D.E.O. NO.	SHEET NO.	SCALE
D212-664-141	CROSSTUBE ASS'Y (205 HI FWD)	ENGINEERING ORDER	D212-664-141-D-2	SHEET 1 OF 1	NTS
DRAWN //	CHECKED A>>	MFG. APPR.	APPROVED MA	DE APPR.	
DATE 11.07.	15 DATE 11.07.20	DATE 11.07.21	DATE 11/07/21	DATE 11.07.21	

PURPOSE:

REPLACE MAGNOBOND WITH PROSEAL.

CHANGE:

IS:

item	Qty -141	Qty -141B	Part Number	Description
	A (D)	A 1879	55 com// 55 com/	
	A/R	_A/R	PROSEAL 890 B-2	SEALANT, AMS-S-8802 CLASS B-2

WAS:

		L		
7	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023
			-	ADHESIVE (TEXTRON/BELL SPEC. 299-947-100,
				TYPE II, CLASS 2 ADHESIVE)

NOTE 12 & 15, SHEET 1 IS AMENDED AS FOLLOWS:

IS

- 12) TO INSTALL D2893-1 SUPPORT: ABRADE MATING SURFACE OF SUPPORT AND CROSSTUBE WITH 180-GRIT SANDPAPER AND REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY A 0.04" TO 0.07" THICK LAYER OF PROSEAL 890 CLASS B-2 (OR AMS-S-8802 CLASS B-2) SEALANT TO MATING SURFACE OF SUPPORT.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING. PRIOR TO PACKAGING, RE-CHECK TORQUE ON CLAMPS AFTER PROSEAL 890 SEALANT HAS CURED FOR 72 HOURS.

WAS:

- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.



THIS DOCUMENT IS PRIVATE AND COMPUTED THIS DOCUMENT OF THE PAPERS OR OUTTION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPETOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT TO BE USED FOR ANY PURPOSE OR COMPETOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE PERSON WITHOUT TH

	4												00.
: 1 = :	RAWING NO	•	TITLE		REV. D	DART A	EROSPACE	LTD	D.E.O. N	NO.	SHE	ET NO.	SCALE
D	212-664-	141	XTUBE ASS	Y (205/212/4	112 HI FWD)	ENGIN	EERING ORD	ER	D212-	664-141 - D-3	SHEE	T10F1	NTS
DF	RÁWN	AJS		CHECKED	P	MFG. APPF	?. <i>160</i>	AF	PROVED	160	DE APPR	- ##	
D/	ATE	12.06.2	.8	DATE	12.07.05	DATE	12.07.05	DA	ATE	12.07.05	DATE	12.07.05	

PURPOSE:

ADD NEW CONFIGURATION WITH ANODIZED FINISH

ADD -141F CONFIGURATION TO PARTS LIST AS SHOWN BELOW:

ltem	Qty -141	Qty -141B	Qty -141F	Part Number	Description
1	Х			D212-664-141	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)
2		Х		D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)
			Х	D212-664-141F	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD) (ANODIZED)
3	1	1	1	D6005-128	CROSSTUBE
4	2	2	2	D2893-1	SUPPORT
5	4	4	4	D3595-063-450	RUBBER CUSHION
6	4	4	4	MS21920-25	CLAMP (OR MS21920-26)
7	A/R	A/R	A/R	PROSEAL 890 B-2	SEALANT, AMS-S-8802 CLASS B-2

*NOTE ITEM 7 HAS BEEN UPDATED IN ACCORDANCE WITH DEO D212-664-141-D-2

AMEND NOTE 2 AS FOLLOWS:

IS:

2) FINISH -141 & -141B ONLY: a) CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

b) PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

c) MASK UNDERSIDE OF CROSSTUBE AS SHOWN IN DEO D212-664-141-D-1

d) PAINT OUTSIDE PER DART QSI 005 4.2

e) REMOVE MASKING AND APPLY MATTE CLEAR COAT

FINISH -141F: a) ANODIZE PER MIL-A-8625, TYPE II. CLASS 1.

b) ALODINE (DO NOT ETCH) PER QSI 005 4.1.2

c) PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

d) MASK UNDERSIDE OF CROSSTUBE AS SHOWN IN DEO D212-664-141-D-1

e) PAINT OUTSIDE PER DART QSI 005 4.2

I) REMOVE MASKING AND APPLY MATTE CLEAR COAT

*NOTE: BETWEEN FINISHING OPERATIONS EXTREME CARE MUST BE TAKEN NOT TO CONTAMINATE OR DAMAGE FINISHED SURACES.


WAS: (UPDATED PER DEO D212-664-141-D-1)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
MASK UNDERSIDE OF CROSSTUBE AS SHOWN IN DEO D212-664-141-D-1
PAINT OUTSIDE PER DART QSI 005 4.2
REMOVE MASKING AND APPLY CLEAR COAT



COPYRIGHT @ 2012 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DATA REPOSSACE LI



					,
ACUREN		LIQUID PENE	TRANT TE	ST REPORT	P- 12196°
VCONFIG		7		•	
	lat South	105		1 - miles	PAGEOF
CLIENT	19-1 (760)	1CE	DATE	Hulas 704/2	_TIME AM PM D
ATTENTION	WILL	مرجادية	ACUREN JOB NO	186419	- 60329
ADDRESS	270 ADELL	EEN J7	PO/WO No.	17755	
-	14 JUKESBU	<i>σ</i> , ολ.	WORK LOCATION	SAME/	
-			ACCEPTANCE ST		REV./DATE 2005
PROJECT _	EV.	5 cross?	-BF)	1038	
ITEM(S) EXAMINED		(11)			
				<u> </u>	
JOB DESCRIPTION	N PROCEDU	JRE NO. LT 2 REV./DATE	80081	TECHNIQUE NO. LTELLE	REV./DATE 2008
PART NO.	SEE CE	Sucts	MATERIAL ALL	Angales and Thic	CKNESS VALOUS
SCOPE 4	WER Flow	ESCENT LIQU	_ /) ====	TRANT THO	Ection
WAS Ca	wes our	ON THE E	NOTEL NA	& CHEATE	2060
TEST DETAILS			7 0000	- 200 · O ·	77-2
METHOD	FLUORESCENT	☐ VISIBLE	☐ WATER WASH	☐ SOLVENT REMO	VABLE Post Emulsifie
FAMILY BRAND	MAGNAFLU		BLACK LIGHT S/N	6959 OUTPUT > 1000	
PENETRANT		DWELL TIME Y5 18 MIN	LIGHTING EQUIP.	☐ FLASHLIGHT ☐ TROUBLELIGHT	
PENETRANT REMOVE		DRYTIME >10 Min	OTHER LA	ARNO	
DEVELOPER TYPE		DWELL TIME 10 MIN.	LIGHT METER S/N	1098866	CAL DUE DATE LOC 13
TEST SURFACE	NON AQUEOUS U	AQUEOUS DRY	<u> </u>		, ,
SURFACE CONDITION	☐ As GROUND	D. Ac Wei cen	A.M. Carrier		<u></u>
SURFACE TEMPERATE	JRE - 4°C/20°F	☐ AS WELDED ☐ - 4°C/ 20°F TO 10°C/50	MACHINED	☐ SHOT BLASTED 2 10°C/50°F TO 52°C/125°F	CLEAN BARE METAL
RESULTS-	(METRIC IMPER			₽ 10°C/30°F 10°52°C/125°F	□ > 52°C/125°F
	1 - MENO C IMPER	I No. /			and the second s

INESULIS-	(U METRIC U IMPERIA	L)		
$\hat{\omega}_{0}$.	class.	STIGE.		
1-8843	3 - "			
1-8943	7 - 7		Maridan o spraca se	
1-8600	9 - "	//	e de deserve en anne	
1-8809	4 - "			
1 -8843	32) - "	" X		
1 888	55 - "	· /	, , , , , , , , , , , , , , , , , , , ,	
1 3843	34 - 11			
1 8343	6 - "	/		12 08 28 G

Scope of Services

Scope of Services.
The agreement of Acuren Group Inc. to perform services extends only to those services provided for in writing. Under no circumstances shall such services extend beyond the performance of the requested services. It is expressly understood that all descriptions, comments and expressions of opinion reflect the opinions or observations of Acuren Group Inc. based on information and assumptions supplied by the owner/operator and are not intended nor can they be construed as representations or warranties. Acuren Group Inc. is not assuming any responsibilities of the owner/operator and the owner/operator retains complete responsibility for the engineering, manufacture, repair and use decisions as a result of the standard of Care.

Standard of Care

In performing the services provided, Acturen Group Inc. uses the degree, care and skill ordinarily exercised under similar circumstances by others performing such services in the same or similar locality. No other warranty, expressed or applied, is made or intended by Acturen Group Inc.

SIGNA	TURES

CLIENT REPRESENTATIVE MATTHEW Murdel	wheather Muchol	DTR#	=-9	1567
ECHNICIAN (SIGNATURE):	SIGNATURE	REPORT REVIEWED BY:		
NAME (PRINT):	2 ^{NO} TECHNICIAN		NAME	INITIALS
CGSB LEVEL SNT LEVEL CGSB REG. NO 60000	CGSB LEVEL SNT LEVEL CGSB REG. NO			